

Liste de papillons au Bassin versant de Coccagne

Mis à jour janvier 2018

Selon Louis-Émile Cormier

Cocagne : papillons = 49; S3 (non-commun) = 4; S#B (Aire de reproduction) = 6 (dont un S3)

Selon Jeffrey McFadden (juillet 2010)

Sud-est NB :

Family	English Name	Nom Français	Latin Name	NB SRank	NS SRank	PEI Srank	Sud est NB	Bas. Vers. Cocagne
Hesperiidae	Silver-spotted Skipper	Hespérie à taches argentées	<i>Epargyreus clarus</i>	SNA	-	-		
Hesperiidae	Northern Cloudywing	Hespérie nuageuse	<i>Thorybes pylades</i>	S5	S2	-		
Hesperiidae	Dreamy Duskywing	Hespérie givrée	<i>Erynnis icelus</i>	S5	S5	S5		X
Hesperiidae	Juvenal's Duskywing	Hespérie du chêne	<i>Erynnis juvenalis</i>	S1	S2S3	-		
Hesperiidae	Arctic Skipper	Échiquier	<i>Carterocephalus palaemon</i>	S5	S5	S4		X
Hesperiidae	Least Skipper	Hespérie délicate	<i>Ancyloxypha numitor</i>	S5	S5	S3		X
Hesperiidae	European Skipper	Hespérie des graminées	<i>Thymelicus lineola</i>	SNA	SNA	SNA		X
Hesperiidae	Fiery Skipper	-	<i>Hylephila phyleus</i>	-	-	SNA		
Hesperiidae	Common Branded Skipper	Hespérie comma	<i>Hesperia comma</i>	S5	S3	-		
Hesperiidae	Leonard's Skipper	Hespérie de Léonard	<i>Hesperia leonardus</i>	-	S1	-		
Hesperiidae	Indian Skipper	Hespérie indienne	<i>Hesperia sassacus</i>	S3	-	-		
Hesperiidae	Peck's Skipper	Hespérie de Peck	<i>Polites peckius</i>	S5	S5	S4		X
Hesperiidae	Tawny-edged Skipper	Hespérie à tache costale	<i>Polites themistocles</i>	S5	S5	S5		X
Hesperiidae	Long Dash Skipper	Hespérie mystique	<i>Polites mystic</i>	S5	S5	S5		X
Hesperiidae	Hobomok Skipper	Hespérie hobomok	<i>Poanes hobomok</i>	S5	S5	S5		X
Hesperiidae	Two-spotted Skipper	Hespérie des marais	<i>Euphyes bimacula</i>	S3	-	-		X
Hesperiidae	Dun Skipper	Hespérie rurale	<i>Euphyes vestris</i>	S5	S4	S3		X
Hesperiidae	Pepper and Salt Skipper	Hespérie poivrée	<i>Amblyscirtes hegon</i>	S4	S2	-		X
Hesperiidae	Common Roadside Skipper	Hespérie violacée	<i>Amblyscirtes vialis</i>	S5	S2	-		
Papilionidae	Short-tailed Swallowtail	Papillon queue-courte	<i>Papilio brevicauda</i>	S3	S1S2	-		
Papilionidae	Black Swallowtail	Papillon du céleri	<i>Papilio polyxenes</i>	S4	S4	S4		X
Papilionidae	Canadian Tiger Swallowtail	Papillon tigré du Canada	<i>Papilio canadensis</i>	S5	S5	S5		X
Papilionidae	Giant Swallowtail	Grand porte-queue	<i>Papilio cressphontes</i>		SNA	-		

Family	English Name	Nom Français	Latin Name	NB SRank	NS SRank	PEI Srank	Sud est NB	Bas. Vers. Cocagne
Pieridae	Cabbage White	Piéride du chou	<i>Pieris rapae</i>	SNA	SNA	SNA		X
Pieridae	Mustard White	Piéride des crucifères	<i>Pieris oleracea</i>	S5	S2	S3		
Pieridae	Clouded Sulphur	Coliade du trèfle	<i>Colias philodice</i>	S5	S5	S5B		X
Pieridae	Orange Sulphur	Coliade de la luzerne	<i>Colias eurytheme</i>	S4B	S5B	S3B		X
Pieridae	Pink-edged Sulphur	Coliade intérieur	<i>Colias interior</i>	S5	S5	S5		X
Pieridae	Little Yellow	Petit coliade	<i>Pyrisitia lisa</i>	SNA	SNA	-		
Lycaenidae	Harvester	Moissonneur	<i>Feniseca tarquinius</i>	S4	S3S4	S2S3		X
Lycaenidae	American Copper	Cuivre d'Amérique	<i>Lycaena phlaeas</i>	S5	S4	S4		X
Lycaenidae	Bronze Copper	Bronzé	<i>Lycaena hyllus</i>	S3	S1	S3		X
Lycaenidae	Bog Copper	Cuivre des tourbières	<i>Lycaena epixanthe</i>	S5	S4	S4		
Lycaenidae	Dorcas Copper	Cuivre de la potentille	<i>Lycaena dorcas</i>	SNR	-	-		
Lycaenidae	Salt Marsh Copper	Cuivré des marais salés	<i>Lycaena dospassosi</i>	S3	S2	S2		
Lycaenidae	Brown Elfin	Lutin brun	<i>Callophrys augustinus</i>	S5	S4	S4		X
Lycaenidae	Hoary Elfin	Lutin grisâtre	<i>Callophrys polios</i>	S3	S3S4	SNR		
Lycaenidae	Henry's Elfin	Lutin des bluets	<i>Callophrys henrici</i>	S2	S2	S1		
Lycaenidae	Eastern Pine Elfin	Lutin des pins	<i>Callophrys niphon</i>	S5	S2	S2		X
Lycaenidae	Western Pine Elfin	Lutin chevronné	<i>Callophrys eryphon</i>	S3	-	-		
Lycaenidae	Bog Elfin	Lutin des tourbières	<i>Callophrys lanoraieensis</i>	S5	S1S2	S2		
Lycaenidae	Acadian Hairstreak	Porte-queue d'Acadie	<i>Satyrium acadica</i>	S3	S1	S1S2		X
Lycaenidae	Banded Hairstreak	Porte-queue du chêne	<i>Satyrium calanus</i>	S2	S2	-		
Lycaenidae	Striped Hairstreak	Porte-queue à bandes brisées	<i>Satyrium liparops</i>	S3S4	S3	S1		X
Lycaenidae	Gray Hairstreak	Porte-queue gris	<i>Strymon melinus</i>	S2	S2	-		
Lycaenidae	Early Hairstreak	Lutin mystérieux	<i>Erora laeta</i>	S1	S1	S1		
Lycaenidae	Eastern Tailed-Blue	Bleu porte-queue de l'est	<i>Cupido comyntas</i>	S2	-	-		
Lycaenidae	Western Tailed-Blue	Bleu porte-queue de l'Ouest	<i>Cupido amyntula</i>	S4	-	-		X
Lycaenidae	Northern Spring Azure	Azur printanier	<i>Celastrina lucia</i>	S5	S5	SNR		X
Lycaenidae	Silvery Blue	Bleu argenté	<i>Glaucopsyche lygdamus</i>	S5	S5	S5		X
Lycaenidae	Northern Blue	Bleu nordique	<i>Plebejus idas</i>	S3	S5	S4		

Family	English Name	Nom Français	Latin Name	NB SRank	NS SRank	PEI Srank	Sud est NB	Bas. Vers. Cocagne
Lycaenidae	Greenish Blue	Bleu verdâtre	<i>Plebejus saepiolus</i>	S3	S1	-		
Nymphalidae	American Snout	Papillon longs-palpes	<i>Libytheana carinenta</i>	-	SNR	-		
Nymphalidae	Monarch	Monarque	<i>Danaus plexippus</i>	S3B	S2B	S1B		XX
Nymphalidae	Variiegated Fritillary	Fritillaire panachée	<i>Euptoieta claudia</i>	SNA	-	-		
Nymphalidae	Great Spangled Fritillary	Argynne cybèle	<i>Speyeria cybele</i>	SNR	S5	S5		X
Nymphalidae	Aphrodite Fritillary	Argynne aphrodite	<i>Speyeria aphrodite</i>	S3	S3S4	S2		
Nymphalidae	Atlantis Fritillary	Argynne de l'Atlantique	<i>Speyeria atlantis</i>	S5	S5	S5		X
Nymphalidae	Bog Fritillary	Boloria des tourbières	<i>Boloria eunomia</i>	S1S2	-	-		
Nymphalidae	Silver-bordered Fritillary	Boloria à taches argentées	<i>Boloria selene</i>	S5	S5	S5		X
Nymphalidae	Meadow Fritillary	Boloria des prés	<i>Boloria bellona</i>	S3	S2	-		
Nymphalidae	Arctic Fritillary	Boloria arctique	<i>Boloria chariclea</i>	S3	S2	-		
Nymphalidae	Silvery Checkerspot	Damier argenté	<i>Chlosyne nycteis</i>	S3	S2	-		X
Nymphalidae	Harris's Checkerspot	Damier de Harris	<i>Chlosyne harrisii</i>	S4	S4	S4		X
Nymphalidae	Northern Crescent	Croissant nordique	<i>Phyciodes cocyta</i>	S5	S5	S5		X
Nymphalidae	Baltimore Checkerspot	Baltimore	<i>Euphydryas phaeton</i>	S4	S3	S2		X
Nymphalidae	Common Buckeye	Papillon ocellé	<i>Junonia coenia</i>	-	SNA	-		
Nymphalidae	Question Mark	Polygone à queue violacée	<i>Polygonia interrogationis</i>	S4B	S3B	S3B		X
Nymphalidae	Eastern Comma	Polygone virgule	<i>Polygonia comma</i>	S4	S2	-		
Nymphalidae	Satyr Comma	Polygone satyre	<i>Polygonia satyrus</i>	S3	S1	S2		
Nymphalidae	Green Comma	Polygone à taches vertes	<i>Polygonia faunus</i>	S5	S3	S2		
Nymphalidae	Hoary Comma	Polygone gracile	<i>Polygonia gracilis</i>	S3	S1	-		
Nymphalidae	Gray Comma	Polygone gris	<i>Polygonia progne</i>	S4	S3S4	S2		X
Nymphalidae	Compton Tortoiseshell	Grande vanesse	<i>Roddia vaualbum</i>	S3	S1S2	S2		
Nymphalidae	Milbert's Tortoiseshell	Petite vanesse	<i>Aglais milberti</i>	S4	S2	S3		
Nymphalidae	Mourning Cloak	Morio	<i>Nymphalis antiopa</i>	S4	S5	S3S4		X
Nymphalidae	Red Admiral	Vulcain	<i>Vanessa atalanta</i>	S5B	S4B	S4B		X
Nymphalidae	Painted Lady	Belle dame	<i>Vanessa cardui</i>	S5B	S4B	S4B		X
Nymphalidae	American Lady	Vanesse de Virginie	<i>Vanessa virginiensis</i>	S5B	S5B	S3B		X

Family	English Name	Nom Français	Latin Name	NB SRank	NS SRank	PEI Srank	Sud est NB	Bas. Vers. Cocagne
Nymphalidae	White Admiral	Amiral	<i>Limenitis arthemis</i>	S5	S5	S5		X
Nymphalidae	Viceroy	Vice-roi	<i>Limenitis archippus</i>	S5	S4	S5		X
Nymphalidae	Northern Pearly-Eye	Satyre perlé	<i>Enodia anthedon</i>	S5	S3	S4		X
Nymphalidae	Eyed Brown	Satyre ocellé	<i>Satyroides eurydice</i>	S5	S4	S4		X
Nymphalidae	Little Wood-Satyr	Petit satyre des bois	<i>Megisto cymela</i>	S5	S3S4	-		X
Nymphalidae	Common Ringlet	Satyre fauve	<i>Coenonympha tullia</i>	S5	S4	S5		X
Nymphalidae	Maritime Ringlet	Satyre fauve des Maritimes	<i>Coenonympha nipisiquit</i>	S1	-	-		
Nymphalidae	Common Wood-Nymph	Satyre des prés	<i>Cercyonis pegala</i>	S5	S5	S5		X
Nymphalidae	Jutta Arctic	Nordique des tourbières	<i>Oeneis jutta</i>	S3	S1	S1		X

Notes: Nomenclature generally follows Opler and Warren, 2003 (see http://www.biology.ualberta.ca/old_site/uasm/Opler&Warren.pdf). Exceptions to this are Maritime Ringlet (*Coenonympha nipisiquit*) and the azures (*Celastrina*). Maritime Ringlet is considered a full species in the Butterflies of Canada (Layberry et al., 1998), [NatureServe](#), and under Canada's Species at Risk Act. *Celastrina* taxonomy in Atlantic Canada and the northeastern United States is unresolved (Pers. Comm., R. Webster). The only confirmed species is Northern Spring Azure (*C. lucia*). Summer Azure (*C. neglecta*) may be discovered in the Maritimes through further collecting and examination of museum material. Cherry Gall Azure (*C. serotina*) is likely a synonym of *C. lucia*, however this isn't fully resolved. Spring Azure (*C. ladon*) appears on several Maritime butterfly lists however this taxon is now thought not to extend north of southern New England. Because there is still much to discover taxonomically for this group azure collecting is encouraged.

S1: **Extremely rare:** May be especially vulnerable to extirpation (typically 5 or fewer occurrences or very few remaining individuals).

S2: **Rare:** May be vulnerable to extirpation due to rarity or other factors (6 to 20 occurrences or few remaining individuals).

S3: **Uncommon,** or found only in a restricted range, even if abundant at some locations (21 to 100 occurrences).

S4: **Usually widespread, fairly common,** and apparently secure with many occurrences, but of longer-term concern (e.g., watch list) (100+ occurrences).

S5: Widespread, **abundant,** and secure, under present conditions.

S#B: Breeding rank, used for some migratory species that do not overwinter in the Maritimes.

SNA: Not Applicable, indicating a non-native species.

SNR: Not ranked.